L Number	Hits	Search Text	DB	Time stamp
-	41	(((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) with (resource	USPAT;	2004/08/31 07:47
' i		memor\$3 storage bandwidth processor cpu) with (capacit\$3 limit\$5	US-PGPUB;	•
		threshold)) same (computer process\$3)) and ((resource near5 (usage	ЕРО; ЈРО;	
i		consumption consum\$3)) and (resource near5 (limit\$5 constraint)) and	DERWENT;	
		(resource near5 allocat\$3) and (workload\$3 work-load\$3 task\$3))	IBM_TDB	
-	24	(((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) with (resource	USPAT;	2004/02/18 09:45
		memor\$3 storage bandwidth processor cpu) with (capacit\$3 limit\$5	US-PGPUB;	
		threshold)) same (computer process\$3)) and ((resource near5 (usage	ЕРО; ЈРО;	
		consumption consum\$3)) and (resource near5 (limit\$5 constraint)) and	DERWENT;	
		((resource near5 allocat\$3) same (workload\$3 work-load\$3 task\$3)))	IBM_TDB	
- [18	(((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) with (resource	USPAT;	2004/02/18 10:35
		memor\$3 storage bandwidth processor cpu) with (availab\$6 capacit\$3	US-PGPUB;	i
		limit\$5 threshold) with (tim\$3 period\$3 interval duration)) same	ЕРО; ЛРО;	
		(computer process\$3)) and ((resource near5 (usage consumption	DERWENT;	
[consum\$3)) and (resource near5 (limit\$5 constraint)) and ((resource	IBM_TDB	
!		near5 allocat\$3) with (workload\$3 work-load\$3 task\$3)))		
-	0	(((sort\$3) with (capacit\$3))) and ((((calculat\$3 project\$3 estimat\$3	USPAT;	2004/02/18 12:14
ļ		predict\$3 forecast\$3) with (resource memor\$3 storage bandwidth	US-PGPUB;	
		processor cpu) with (capacit\$3 limit\$5 threshold)) same (computer	ЕРО; ЈРО;	
1		process\$3)) and ((resource near5 (usage consumption consum\$3)) and	DERWENT,	
		(resource near5 (limit\$5 constraint)) and (resource near5 allocat\$3) and	IBM TDB	
		(workload\$3 work-load\$3 task\$3)))	_	
-	42	(((sort\$3 order\$3 categor\$6 rank\$3 list\$3) with (capacit\$3 limit\$5	USPAT;	2004/02/18 13:23
		threshold availab\$7))) and ((((calculat\$3 project\$3 estimat\$3 predict\$3	US-PGPUB,	
		forecast\$3) with (resource memor\$3 storage bandwidth processor cpu)	ЕРО, ЈРО,	
1		with (capacit\$3 limit\$5 threshold)) same (computer process\$3)) and	DERWENT;	,
		((resource near5 (usage consumption consum\$3)) and (resource near5	IBM TDB	
		(limit\$5 constraint)) and (resource near5 allocat\$3)))	_	
-	19	(((sort\$3 categor\$6) with (capacit\$3 limit\$5 threshold availab\$7))) and	USPAT;	2004/02/18 13:15
		(((((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) with (resource	US-PGPUB;	
j		memor\$3 storage bandwidth processor cpu) with (capacit\$3 limit\$5	ЕРО; ЛРО;	
1		threshold)) same (computer process\$3)) and ((resource near5 (usage	DERWENT,	
1		consumption consum\$3)) and (resource near5 (limit\$5 constraint)) and	IBM TDB	
İ		(resource near5 allocat\$3)))	_	
- 1	330	(((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) same (resource	USPAT;	2004/02/18 13:31
1		memor\$3 storage bandwidth processor cpu) same (capacit\$3 limit\$5	US-PGPUB;	
İ		threshold)) and (resource near5 (usage consumption consum\$3)) and	ЕРО; ЈРО;	
		(resource near5 (limit\$5 constraint)) and ((arrang\$3 classif\$7 sort\$3	DERWENT;	
[order\$3) with (capacit\$3 limit\$5 threshold level\$3)))	IBM_TDB	
- }	456	(((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) same (resource	USPAT;	2004/02/18 13:29
		memor\$3 storage bandwidth processor cpu) same (availab\$7 capacit\$3	US-PGPUB;	
ļ		limit\$5 threshold)) and (resource near5 (usage consumption	ЕРО; ЈРО;	
		consum\$3)) and (resource near5 (limit\$5 constraint)) and ((arrang\$3	DERWENT;	
		classif\$7 sort\$3 order\$3) with (availab\$7 capacit\$3 limit\$5 threshold	IBM_TDB	
	-	level\$3)))	_	
-	130	((((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) same (resource	USPAT;	2004/02/18 13:31
		memor\$3 storage bandwidth processor cpu) same (availab\$7 capacit\$3	US-PGPUB;	
1	ĺ	limit\$5 threshold)) and (resource near5 (usage consumption	EPO; JPO;	
. [consum\$3)) and (resource near5 (limit\$5 constraint)) and ((arrang\$3	DERWENT;	
[classif\$7 sort\$3 order\$3) with (availab\$7 capacit\$3 limit\$5 threshold	IBM TDB	
j	}	level\$3)))) and ((arrang\$3 classif\$7 sort\$3 order\$3) with (availab\$7	_	
		capacit\$3 limit\$5 threshold level\$3) with (duration interval period\$2		
j		tim\$3))		
_	760	(((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) same (resource	USPAT;	2004/02/18 13:35
I	, 55	memor\$3 storage bandwidth processor cpu) same (availab\$7 capacit\$3	US-PGPUB;	
1		limit\$5 threshold) same plan\$4 same (arrang\$3 classif\$7 sort\$3	ЕРО; ЛРО;	
l		order\$3)))	DERWENT;	
1		// /	IBM TDB	

-	173	((((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) same (resource	USPAT;	2004/02/18 13:35
ĺ		memor\$3 storage bandwidth processor cpu) same (availab\$7 capacit\$3	US-PGPUB;	
		limit\$5 threshold) same plan\$4 same (arrang\$3 classif\$7 sort\$3	ЕРО; ЛРО;	
ĺ		order\$3)))) and ((arrang\$3 classif\$7 sort\$3 order\$3) with (availab\$7	DERWENT;	
		capacit\$3 limit\$5 threshold level\$3) with (duration interval period\$2	IBM_TDB	
1	15	tim\$3)) (((((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) same	USPAT;	2004/02/18 13:32
-	13	((((calculates) projectes) estimates predictes forecasts) same (resource memor\$3 storage bandwidth processor cpu) same (availab\$7	US-PGPUB;	2004/02/18 13.32
	1	capacit\$3 limit\$5 threshold) same plan\$4 same (arrang\$3 classif\$7	ЕРО; ЛРО;	
		sort\$3 order\$3))) and ((arrang\$3 classif\$7 sort\$3 order\$3) with	DERWENT;	
	1	(availab\$7 capacit\$3 limit\$5 threshold level\$3) with (duration interval	IBM TDB	
		period\$2 tim\$3))) and ((resource near5 (usage consumption consum\$3))		
		and (resource near5 (limit\$5 constraint)))		
-	245	(((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) same (resource	USPAT;	2004/02/18 13:35
	Ì	memor\$3 storage bandwidth processor cpu) same (availab\$7 capacit\$3	US-PGPUB;	
	1	limit\$5 threshold) same plan\$4 same (arrang\$3 classif\$7 sort\$3)))	ЕРО; ЛРО;	
	1		DERWENT;	
			IBM_TDB	
-	39	((((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) same (resource	USPAT;	2004/02/18 13:36
	1	memor\$3 storage bandwidth processor cpu) same (availab\$7 capacit\$3	US-PGPUB;	
		limit\$5 threshold) same plan\$4 same (arrang\$3 classif\$7 sort\$3))))	ЕРО; ЛРО;	
		and ((arrang\$3 classif\$7 sort\$3 order\$3) with (availab\$7 capacit\$3	DERWENT;	
}		limit\$5 threshold level\$3) with (duration interval period\$2 tim\$3))	IBM_TDB	2004/02/10 12 40
-	249	((sort\$3) with (capacit\$3) with (small\$3 short\$3 ascend\$3))	USPAT;	2004/02/18 13:40
	1		US-PGPUB;	
	1 1		EPO; JPO; DERWENT;	
	1		IBM_TDB	
	2	((sort\$3) with (capacit\$3) with (small\$3 short\$3 ascend\$3) with	USPAT;	2004/02/18 14:10
-	2	resource)	US-PGPUB;	2004/02/16 14.10
		resource	ЕРО; ЛРО;	
	1		DERWENT;	
			IBM TDB	
-	6	(((sort\$3) with (availab\$7 capacit\$3 limit\$5 threshold level\$3) with	USPĀT;	2004/02/18 14:06
		(low\$3 small\$3 short\$3 ascend\$3) with resource)) not ((((sort\$3) with	US-PGPUB;	
]	(availab\$7 capacit\$3 limit\$5 threshold level\$3) with (small\$3 short\$3	ЕРО; ЈРО;	
		ascend\$3) with resource)) not "140")	DERWENT;	
	1		IBM_TDB	
-	14	((sort\$3) with (availab\$7 capacit\$3 limit\$5 threshold level\$3) with	USPAT;	2004/02/18 14:07
	1	(low\$3 small\$3 short\$3 ascend\$3) with resource)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT; IBM TDB	
	23	((sort\$3) with (capacit\$3) with resource)	USPAT;	2004/02/18 14:10
-	23	((SOLIA) MICH (CAPACITA) MICH LESOUICE)	US-PGPUB;	2004/02/10 14.10
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	8	((sort\$3) with (availab\$7 capacit\$3 limit\$5 threshold level\$3) with	USPAT;	2004/02/19 08:32
	-	(small\$3 short\$3 ascend\$3) with resource)	US-PGPUB;	
		,	ЕРО; ЛРО;	
		·	DERWENT;	
			IBM_TDB	
-	89	((sort\$3) with (capacit\$3 limit\$5) with resource)	USPAT;	2004/02/19 08:35
	'		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		((IBM_TDB	2004/02/10 14:20
-	3	((sort\$3) with (capacit\$3 limit\$5) with (small\$3 short\$3 ascend\$3)	USPAT;	2004/02/19 14:39
		with resource)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
L			חואד וואות	

		144 400 141	******	2004/02/10 00 22
-	2	((sort\$3) with (capacit\$3) with resource) and ((sort\$3) with (USPAT,	2004/02/19 08:35
		limit\$5) with resource)	US-PGPUB;	
1			ЕРО; ЈРО;	
	1		DERWENT;	
1	1		IBM_TDB	
	713	((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) with (resource)	USPAT;	2004/02/19 10:14
-	/13		US-PGPUB;	2004/02/17 10:14
		with (capacit\$3 limit\$5))		
1		·	ЕРО; ЈРО;	
			DERWENT;	
1			IBM_TDB	
_	61	(((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) with (resource)	USPAT;	2004/08/30 18:12
}		with (capacit\$3 limit\$5))) and ((calculat\$3 project\$3 estimat\$3	US-PGPUB;	
		predict\$3 forecast\$3 comput\$5) with (resource) with ((life adj expect\$4	ЕРО; ЛРО;	
}) duration life expect\$4))	DERWENT;	
		() duration the expects 4))		
)			IBM_TDB	200410211010101
-	7	(((((calculat\$3 project\$3 estimat\$3 predict\$3 forecast\$3) with (resource)	USPAT,	2004/02/19 10:17
}	1	with (capacit\$3 limit\$5))) and ((calculat\$3 project\$3 estimat\$3	US-PGPUB;	
		predict\$3 forecast\$3 comput\$5) with (resource) with ((life adj expect\$4	ЕРО; ЈРО;	
}	1) duration life expect\$4))) and ((plot\$4 graph\$4) and ((critical short\$3	DERWENT;	
		low\$3) with resource))	IBM TDB	
<u> </u>	0	optmiz\$5 with resource with usage	USPAT,	2004/08/30 18:13
_	1	opanies wan resource with asage	US-PGPUB;	<u> 200-1100130 10.13</u>
			ЕРО; ЈРО;	
		'	DERWENT;	
		0	IBM_TDB	
-	353	optimiz\$5 with resource with usage	USPAT;	2004/08/30 18:15
	1		US-PGPUB;	
			ЕРО; ЛРО;	
	1		DERWENT;	1
	10		IBM_TDB	2004/09/20 19:17
-	19	optimiz\$5 with resource with usage and ((calculat\$3 project\$3 estimat\$3	USPAT;	2004/08/30 18:16
	1	predict\$3 forecast\$3) with (resource) with (capacit\$3 limit\$5))	US-PGPUB;	
			ЕРО; ЈРО;	
	1		DERWENT;	1
			IBM_TDB	
-	20	optimiz\$5 with resource with usage and ((calculat\$3 project\$3 estimat\$3	USPAT;	2004/08/30 18:17
		predict\$3 forecast\$3) with (resource storage) with (capacit\$3 limit\$5))	US-PGPUB,	
			ЕРО; ЈРО;	
			DERWENT;	
1			IBM_TDB	
		(range with connect \$2 with plan \$4) and ((most arm stars as) with		2004/08/31 08:15
1 -	0	(resource with capacit\$3 with plan\$4) and ((system storage) with	USPAT;	ZUU4/U6/31 U8:13
		(computer computing) with resource with (life live) with expect\$7)	US-PGPUB;	
1	1		ЕРО; ЛРО;	1
			DERWENT;	
1	1		IBM_TDB	·
-	1	((system storage) with (computer computing) with resource with (life	USPAT;	2004/08/31 07:55
	1	live) with expect\$7)	US-PGPUB;	
			ЕРО; ЈРО;	
1			DERWENT;	
	.	// / · · · · · · · · · · · · · · · · ·	IBM_TDB	2004/00/21 07 52
-	4	((system storage) with resource with (life live) with expect\$7)	USPAT;	2004/08/31 07:53
1			US-PGPUB;	
			ЕРО; ЛРО;	
1	1		DERWENT;	
			IBM TDB	
_	12	((computer computing) with resource with (life live) with expect\$7)	USPAT;	2004/08/31 07:55
	12	((company companing) man reconsection man (me most) man expectar)	US-PGPUB;	
1	1		ЕРО; ЛРО;	
}	1		DERWENT;]
	l		IBM_TDB	

-	56	((system storage) with (computer computing) with (life live) with	USPAT;	2004/08/31 08:03
		expect\$7)	US-PGPUB;	
		•	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
_	0	(resource with capacit\$3 with (plan\$4 project\$3 calculat\$3 comput\$3	USPAT;	2004/08/31 08:16
		forecast\$3 estimat\$3 predict\$3)) and ((system storage) with (computer	US-PGPUB;	
		computing) with resource with (life live) with expect\$7)	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	2004/00/21 00 16
-	0	((resource system storage)with capacit\$3 with (plan\$4 project\$3	USPAT;	2004/08/31 08:16
		calculat\$3 comput\$3 forecast\$3 estimat\$3 predict\$3)) and ((system	US-PGPUB;	
		storage) with (computer computing) with resource with (life live) with	ЕРО; ЈРО;	
		expect\$7)	DERWENT,	
			IBM_TDB	
_	0	((resource system storage) with capacit\$3 with (plan\$4 project\$3	USPAT;	2004/08/31 08:16
		calculat\$3 comput\$3 forecast\$3 estimat\$3 predict\$3)) and ((system	US-PGPUB;	
		storage) with (computer computing) with resource with (life live) with	EPO; JPO;	
		expect\$7)	DERWENT;	
			IBM_TDB	
-	. 0	((resource system storage computer) with capacit\$3 with (plan\$4	USPAT;	2004/08/31 08:29
		project\$3 calculat\$3 comput\$3 forecast\$3 estimat\$3 predict\$3)) and	US-PGPUB;	
		((system storage) with (computer computing) with resource with (life	ЕРО; ЛРО;	
		live) with expect\$7)	DERWENT;	
			IBM_TDB	2004/00/21 00 20
-	214	((resource system storage computer) with capacit\$3 with (plan\$4	USPAT;	2004/08/31 08:29
		project\$3 calculat\$3 comput\$3 forecast\$3 estimat\$3 predict\$3)) same	US-PGPUB;	
		sort\$3	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	2004/00/21 00 22
-	89	((resource system storage computer) with capacit\$3 with (plan\$4	USPAT;	2004/08/31 09:23
		project\$3 calculat\$3 comput\$3 forecast\$3 estimat\$3 predict\$3)) with	US-PGPUB;	
		sort\$3	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	2004/00/21 00 22
-	37	((resource system storage computer) with capacit\$3 with (plan\$4	USPAT;	2004/08/31 08:35
		project\$3 calculat\$3 forecast\$3 estimat\$3 predict\$3)) with sort\$3	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

US Patent & Trademark Office

(computer) near/5 resource near/5 capacit\$3 near/5 (plan or p

"	III.	H)	"	7			"	"	"	"	ı,	7),	1		"	S	N	ij	7	ľ	1)	33	ij,		8	"	I	3	11		I		,)	"	ı	ŋ,	S	Ü	3	Š	Ü	"	ı	ij	"	Į,	S
	N	W	ß	×	0	"	Н		X	3	3	¥	ķ	11	N	Ŋ	ì	ž	ž	þ	١	£	Š	9	S	S	Ü	R	1	"	1	"	ŀ	k	S	8	2	Ġ	S	ă	9	9	ď	17	¥	Ø,	S

Feedback Report a problem Satisfaction survey

Found 25.961 Terms used computer near/5 resource near/5 capacit\$3 near/5 plan or predict or forecast or projecting or estimating of 141.680 Try an Advanced Search Save results to a Binder Sort results by relevance Try this search in The ACM Guide 2 Search Tips Display results expanded form Open results in a new window 5 6 7 <u>8 9 10</u> Result page: previous 1 2 3 4Results 61 - 80 of 200 Relevance scale 🗔 📾 📾 🐯 Best 200 shown 61 Joint task force advanced technology demonstration (JFT ATD) John Schill December 1995 Proceedings of the 1995 ACM/IEEE conference on Supercomputing (CDROM) Additional Information: full citation, index terms Full text available: 41 html(43.86 KB) 62 Thriving on information anxiety: a survival guide to the knowledge-value revolution Sam A. Falk Milosevich December 1995 Proceedings of the 1995 ACM/IEEE conference on Supercomputing (CDROM) Additional Information: full citation, index terms Full text available: himi(43.86 KB) 63 The emperor has no clothes: what HPC users need to say and HPC vendors need to hear Cherri M. Pancake December 1995 Proceedings of the 1995 ACM/IEEE conference on Supercomputing (CDROM) Additional Information: full citation, citings, index terms Full text available: himi(43.86 KB) Sizing and assessing computer design alternatives using simulation Gary J. Wright, Thomas L. Hannan December 1978 Proceedings of the 10th conference on Winter simulation - Volume 2 Additional Information: full citation, abstract, references, index terms Full text available: pdf(1.05 MB) This paper describes the major phases of a computer system simulation study performed by the Federal Computer Performance Evaluation and Simulation Center for the Federal Aviation Administration. The Central Flow Control System, the system simulated, was in the preliminary design stage when the study was initiated. The study was undertaken to assess the performance of the proposed system, as well as the performance of system design alternatives. This study demonstrates the utility of using ... 45 A proposed computer-assisted approach to long-range global strategic forecasting

Patricia Kramer-DeBuck, Brian L. Marshall, Reuben G. Miller

March 1978 Proceedings of the eleventh annual simulation symposium